

4XEM 7M USB 2.0 Active Extension Cable

4XEM Part- 4X3202A17M



Introducing the 4XEM 7M USB 2.0 Active Extension Cable, the perfect solution to extend your USB connections with unmatched reliability and performance.

Powered by an in-line signal booster, this cable ensures strong and stable data transfer, making it ideal for various applications. The connectors are plated with nickel, providing excellent corrosion resistance for long-lasting functionality. The PVC jacket and triple shielding provide exceptional protection against interference, guaranteeing a seamless and reliable data transfer experience.

Problem it solves: Extend your USB connections with incredible ease with 4XEM's USB 2.0 Active extension cable.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Brandon Hegarty 4XEM Sales Manager
1-866-999-4936 Ext.113 bhegarty@4xem.com



Features

- USB Type-A male to USB Type-A Female connection
- 7M in length
- 480Mbps data transfer rate
- USB 2.0 compatible
- 28AWG+24AWG
- Black PVC Nickel Plated with Built-in signal Booster chips
- Active Cable

Application

- Home Office Setup – Extend the reach of your keyboard, mouse, printer, or webcam without losing performance.
- Video Conferencing – Connect USB cameras and microphones from across the room for clear video and audio.
- Classroom & Training Environments – Easily link interactive whiteboards, projectors, or document cameras to a distant computer.
- Gaming & Streaming – Place controllers, headsets, or capture devices exactly where you want without signal drop.
- Retail & Kiosk Installations – Power and control USB barcode scanners, card readers, or touchscreens from a central workstation.



4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Brandon Hegarty 4XEM Sales Manager
1-866-999-4936 Ext.113 bhegarty@4xem.com**



**DATA SHEET**

Warranty Information	Warranty	1 Year
Hardware	Active/Passive In-Line Signal Boosters Connector Plating Cable Jacket Type Cable Shield Type	Active 1 Nickel PVC Triple Shielding
Connector(s)	Connector A Connector B	USB Type-A Male USB Type-A Female
Performance	Data Transfer Rate	USB 2.0 (480Mbps)
Physical Characteristics	Cable Length Color Connector Style Cable OD Wire Gauge Weight of Product	22.97 ft [7.00 m] Black Straight 0.20 in [5.00 mm] 28AWG + 24AWG 8.75 oz [248g]
Packaging Information	Packaging Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-bag 8.86 in [225 mm] 7.87 in [200 mm] 0.94 in [24 mm] 8.89 oz [252g]
What's in the Box	Included in Package	1x 7m Active USB 2.0 Extension Cable

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

**Contact Brandon Hegarty 4XEM Sales Manager
1-866-999-4936 Ext.113 bhegarty@4xem.com**

