

4XEM 45W 3FT 2-in-1 USB-C with Lightning Adapter Charging Kit

4XEM Part- 4X45W2N1KIT3V2



The 4XEM 45W 3FT 2-in-1 USB-C with Lightning Adapter Charging Kit is the perfect solution for all your charging needs. Featuring a powerful 45W output, this compact USB-C charger ensures fast and efficient charging for a wide range of devices, from smartphones to tablets and more. The included 3-foot cable provides versatility, offering both USB-C and Lightning connectivity with its dual-headed design, making it compatible with most modern devices, including Apple products thanks to its MFi-certified Lightning connector.

With support for USB Power Delivery (PD 3.0) and Samsung Super Fast Charging 2.0, this charger delivers a seamless and reliable experience, powering your devices quickly and safely. The unidirectional design ensures a secure and straightforward connection from USB-C to USB-C or Lightning. Engineered with premium materials, including a durable TPE jacket, gold-plated pins, and a nickel-plated iron case, this charging kit is built to last. Whether you're at home, in the office, or on the road, the 4XEM 45W 2-in-1 charging kit guarantees efficient, fast, and safe power delivery wherever you are.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com



Features

- 1x 45W USB-C charger with fast charging (PD 3.0, PPS)
- 1x 3ft USB-C to USB-C/Lightning cable (MFi certified)
- Dual connector: USB-C and Lightning for versatile charging
- Supports Samsung Super Fast Charging 2.0
- USB 3.1 Gen 2 for 480 Mbps data transfer
- Compact, lightweight design with fixed prongs
- Durable TPE cable with gold and nickel plating
- FCC certified for safety and reliability
- Compatible with a wide range of devices and voltages
- 1-year warranty

Application

- **All-in-One Convenience:** This 2-in-1 bundle includes both a powerful 45W USB-C charger and a versatile USB-C to USB-C/Lightning cable, offering everything you need in one package. Ideal for users looking to save time and money, it provides seamless charging for a wide range of devices without the need to purchase separate components.
- **Travel-Ready Convenience:** With its compact size and retractable prongs, this charging kit is perfect for frequent travelers. The universal 100-240VAC input ensures it works with outlets worldwide, making it an essential companion for international trips.
- **Multi-Device Compatibility:** The included 2-in-1 USB-C to USB-C/Lightning cable means you can charge both Apple devices (like iPhones and iPads) as well as USB-C compatible gadgets, reducing the need to carry multiple chargers and cables.
- **Safe Charging:** With industry certifications, including FCC and MFi for Apple Lightning products, users can trust in safe and stable charging, whether at home, in the office, or on the go.

Made for
iPhone | iPad | iPod

Switch to Connect



4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com





DATA SHEET

Warranty Information	Warranty	1 year
Connector(s)	Charging Port Power Source Charging Cable Connector A Charging Cable Connector B Operating Mode Direction	USB Type-C Non-Polarized NEMA 1-15P (Standard NA Wall Outlet) Fixed with Non-Retractable Prongs USB Type-C Male USB Type-C - Male with Lightning Male attachment Passive Unidirectional - USB-C to USB-C/Lightning
Performance	Industry Standards (Cable) Industry Standards (Charger) Cable Data Transfer Rate E-Marker	USB 2.0 FCC certified USB-PD 3.0 PPS Samsung Super Fast Charging 2.0 USB 3.1 Gen 2 480 Mbps No
Physical Characteristics	Charger Color Display LED Indicator(s) Charger Height Charger Width Charger Length Charger Weight Charging Cable Color Connector Plating Connector Style Cable Jacket Type Wire Gauge Charging Cable Length Charging Cable OD Charging Cable Weight	White No None 1.19 in [30.1 mm] 2.09 in [53.1 mm] 2.69 in [68.3 mm] 3.74 in [95.0 mm] (with power prongs out) 3.25 oz [92 g] White Gold plated pin, nickel plated iron case Straight TPE (Thermoplastic Elastomer) 11/0.08TC*3C+46/0.08TC*2C 3 ft [0.94 m] 0.15 in [3.8 mm] 0.84 oz [24 g]
Power	Total Power Budget Power Delivery Input Voltage Output Voltage (PD 3.0 - PDO) Output Voltage (PD 3.0 - PPS) Output Voltage (Other)	45W 45W 100-240VAC, 50Hz-60Hz @ 0.7A 5V DC @ 3A 9V DC @ 3A 15V DC @ 3A 20V DC @ 2.25A 3.3V-11.0V DC @ 4.05A 3.3V-16.0V DC @ 2.8A 3.3V-21.0V DC @ 2.1A 5V DC @ 3A
Environmental	Operating Temperature Storage Temperature Humidity	0 to 40°C (32 to 104°F) -20 to 80°C (-4 to 176°F) 5% to 90% (non-condensing)
Packaging Information	Package Type Package Height Package Width Package Length Shipping (Package) Weight	Poly-bag 7.09 in [180 mm] 4.72 in [120 mm] 0.54 in [13.7 mm] 4.09 oz [116 g]
What's in the Box	Included in Package	1x 45W USB-C Charger 1x 3ft USB-C to USB-C/Lightning Cable
Notes	Notes	MF i Certified Lightning connector

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

