DATA SHEET

4XEM DisplayPort Cable 35FT

4XEM Part- 4XDPDPCBL35

Elevate your visual experience with 4XEM's DisplayPort 35ft cables – the epitome of excellence in multimedia connectivity. Unleash the full potential of your DisplayPort-equipped monitor or display as these cables seamlessly deliver pristine 4K @ 60Hz HD images with unparalleled precision.
Designed for the demands of modern multimedia, 4XEM DisplayPort cables go beyond the ordinary by transmitting not only video but also audio seamless efficiency. Experience the crystal-clear display resolutions as 4XEM DisplayPort cables support the highest available today – up to 4K @ 60Hz. Immerse yourself in breathtaking clarity and detail, making every pixel count. Say goodbye to distortion and signal degradation, and hello to a consistently remarkable visual performance.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com

DATA SHEET

Features:

- DisplayPort 1.2 bandwidth of 20.6Gbps
- Transmit video, and audio seamlessly
- Supports 4K@60Hz, 2K@165Hz and 2K@144Hz video resolutions
- Bi-directional connectivity – no “wrong way” connection
- Consistent Visual Performance
- Durable build- triple shielded
- Elevate your multimedia setup with 4XEM DisplayPort 35ft cables.

Application:

- Upgrade your home theatre video
- Make work presentation connections a breeze with one cable
- Advanced length of the cable offers the ability to go the length of many rooms to create easy video connections

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com

4XEM™ Problem solved.

DATA SHEET

Warranty Information	Warranty	Lifetime
Hardware	Active or Passive cable	Active
	Chip ID	N/A
	Direction	Bidirectional
	Cable Jacket Type	PVC - Polyvinyl Chloride
	Cable Shield Type	Triple Aluminum-Mylar Foil with Braid
	Connector Plating	Gold
	Fire Rating	CMG Rated (General Purpose) VW-1 (Vertical Wire Flame Test)
	Number of Conductors	20
	Bandwidth	20.6Gbps (DisplayPort 1.2)
Connector(s)	Connector A	1 - DisplayPort Male
	Connector B	1 - DisplayPort Male
Performance	Supported Resolution(s)	4K@60Hz [3840 x 2160] 2K@165Hz [2560 x 1440] 2K@144Hz [2560 x 1440]
Physical Characteristics	Color	Black
	Cable Length	35 ft [10.66 m]
	Cable OD	0.3 in [6.5 mm]
	Wire Gauge	26 AWG
	Connector Style	Latching
	Weight of Product	25.9 oz [734.2 g]
Packaging Information	Package Height	8.66 in [220 mm]
	Package Width	7.09 in [180 mm]
	Package Length	1.10 in [28 mm]
	Shipping (Package) Weight	25.9 oz [734.2 g]
What's in the Box	Included in Package	1 - 35 ft DisplayPort Cable with Latches - M/M

* Product appearance and specifications are subject to change without notice.

* Approximate measurements

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Todd Schaus 4XEM sales Rep
1-866-999-4936 Ext.104 tschaus@4xem.com