

## **4XEM 10in DisplayPort To DVI-I Dual Link M/F Adapter Cable**

4XEM Part- **4XDPMDVIFA10**



Go from a DisplayPort device to a DVI-I Dual Link monitor or projector with 4XEM's 9-inch DisplayPort Male to DVI-I Female Adapter Cable. Offering video bandwidth of up to 1.65 Gb/s, this high-quality adapter features shielded cable for prevention of signal loss, ensuring optimal video performance. Supports HDTV resolutions up to 1080p as well as PC VGA, SVGA, XGA, SXGA and UXGA display modes.

Easily convert a DisplayPort signal to DVI-I Dual Link and present on the big screen. Plug and play.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Brandon Hegarty 4XEM Sales Manager**  
**1-866-999-4936 Ext.113    bhegarty@4xem.com**



## Features:

- 10-inch size/length of cable
- Video bandwidth of 1.65 Gb/s
- Shielded Cable for protection against wear and tear
- Supports HD 1080P
- Display Port Male connector
- DVI Dual Link female port

## Application(s):

- Connect DisplayPort sources to DVI-I displays — seamlessly link modern laptops or desktops to legacy DVI-I monitors or projectors
- Upgrade digital signage or conference room setups — re-purpose existing DVI-I screens with DP-equipped systems
- Facilitate dual-link DVI connectivity — ensures compatibility with high-resolution devices via DVI-I dual-link port
- Reliable in professional AV environments — suitable for TV monitors and video devices, delivering smooth and efficient video transmission
- Compact and tidy connectivity — 10-inch length reduces cable clutter while maintaining robust signal integrity
- Ideal for hybrid computing setups — perfect when mixing legacy DVI equipment with modern DisplayPort systems, useful in offices, studios, and educational settings



**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Brandon Hegarty 4XEM Sales Manager**  
**1-866-999-4936 Ext.113    bhegarty@4xem.com**



**DATA SHEET**

|                          |                                                                                                    |                                                                                                                               |
|--------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Warranty Information     | Warranty                                                                                           | 2 Years                                                                                                                       |
| Hardware                 | Operating Mode<br>Chip ID<br>Direction<br>Industry Standards                                       | Passive<br>N/A<br>Unidirectional<br>DisplayPort 1.1<br>DVI-D SL                                                               |
| Connector(s)             | Connector A (Source)<br>Connector B (Display)                                                      | DisplayPort - Male<br>DVI (24+5 Pin) - Female**                                                                               |
| Performance              | Max Bandwidth<br>Maximum Digital Resolutions<br><br>Maximum Analog Resolutions                     | 4.95Gbps<br>1920 x 1200 @ 60Hz, 8bpc<br>2650 x 1600 @ 30Hz, 8bpc<br>N/A                                                       |
| Power                    | Power Source                                                                                       | Bus Powered                                                                                                                   |
| Physical Characteristics | Adapter Style<br>Color<br>Cable Jacket Type<br>Cable Length<br>Product Length<br>Weight of Product | Pig-Tail Adapter<br>Black<br>PVC<br>10 in [254 mm]<br>3.5 in [88.9 mm]<br>1.59 oz [45 g]                                      |
| Packaging Information    | Packaging Type<br>Package Height<br>Package Width<br>Package Length<br>Shipping (Package) Weight   | Poly-bag<br>0.5 in [12.7 mm]<br>9.00 in [228.6 mm]<br>5.00 in [127 mm]<br>1.69 oz [48 g]                                      |
| What's in the Box        | Included in Package                                                                                | 1x DisplayPort to DVI adapter                                                                                                 |
| Notes                    | Notes                                                                                              | "DVI connector can accept any DVI cable but is wired for Digital ONLY, DVI-D SL (18 +1 pin) operation.<br>Requires DP++ port" |

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Brandon Hegarty 4XEM Sales Manager**  
**1-866-999-4936 Ext.113    bhegarty@4xem.com**

