

## **4XEM 30-Port Fixed Shelf Tablet & Laptop PDU Charging Cart**

4XEM Part- **4XSC0130AF**



The 4XEM 30-Port Fixed Shelf Tablet & Laptop PDU Charging Cabinet is expertly engineered to support the growing need for centralized, secure, and efficient charging in schools, corporate environments, libraries, and IT departments. Designed with a robust aluminum frame and vented front door, this cabinet safely stores and charges up to 30 tablets or laptops simultaneously. Each bay features PDU (Power Distribution Unit) charging technology, compatible with both 110 V AC and 220 V AC input/output, offering reliable and standardized power delivery across all ports. Each port socket is rated for up to 16 A 250 V AC, with a practical per-port output of 55–147 W, and a total circuit output of up to 1650 W under typical configurations.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Brandon Hegarty 4XEM Sales Manager**  
**1-866-999-4936 Ext.113    bhegarty@4xem.com**



## Features:

- **30-Port Charging:** Charges up to 30 tablets or laptops simultaneously using PDU charging.
- **Robust Frame:** Made of durable aluminum for longevity and professional-grade reliability.
- **Enhanced Cooling:** Includes 3 fans and air ventilation to maintain optimal operating temperature.
- **Device Security:** Vented locking front door with keys prevents unauthorized access.
- **Mobility Ready:** On wheels for increased mobility.
- **Spacious Bays:** Fits devices up to 12.5" x 0.7" x 7" in 14.1" x 1.6" x 11.4" compartments.
- **Centralized Power Control:** Features an integrated power switch for managing all ports.
- **Certified Safe:** Compliant with CE, FCC, RoHS, and major international safety standards.
- **Heavy-Duty Capacity:** Supports up to 220.4 lbs (100 kg) of total device weight.
- **1-Year Warranty:** Backed by a full 1-year manufacturer warranty.
- **Flat-Pack Delivery:** Ships with assembly hardware, casters, and keys included.

## Application(s):

- **Charge Multiple Devices Efficiently:** Supports simultaneous charging of up to 30 tablets or laptops, streamlining daily device management.
- **Enhanced Device Security:** Built-in locking front door and included keys help prevent unauthorized access, ideal for schools, offices, and shared environments.
- **Ideal for Educational Environments:** Perfect for classrooms, computer labs, and libraries, this charging cabinet helps educators efficiently manage and secure multiple student devices in one organized location.



**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Brandon Hegarty 4XEM Sales Manager**  
**1-866-999-4936 Ext.113   bhegarty@4xem.com**





## DATA SHEET

|                          |                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Warranty Information     | Warranty                                                                                                                                                                                                 | 7 Year                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Hardware                 | Fan/Cooling Options<br>Frame Type<br>Front Door Construction<br>Front Door Features<br>Safety Features<br>Additional Features<br>Industry Standards<br><br>Certifications<br>Wall Mountable              | 3 fans (included)<br>Aluminum<br>Vented Door<br>Air Ventilation<br>Locks and Keys<br>Power Charging and Storage<br>ANSI/EIA-310E; DIN41491:PART1; IEC297-2; DIN41494:PART7; GB/T3047.2-92 and EIA standard<br>CE, RoHS Compliant, FCC<br>No                                                                                                                                                                                                                                                                                    |
| Performance/Electrical   | Weight Capacity<br>Type of Charging Technology<br>Power Input Voltage<br>Power Output Voltage<br>Charging Output per port<br><br>Total Power Output<br><br>Power Management System<br>Compatible Devices | 220.4 lbs [100 kg]<br>PDU (Power Distribution Unit) Charging<br>110 V AC (standard North America); also compatible with 220 V AC input<br>110 V AC or 220 V AC distributed to device ports<br>Each port socket uses a connector rated for up to 16 A 250 V AC for compatibility; Practical output per port: 55–147 W typical.<br>Up to 1650 W per circuit (typical); total output may increase with dual-circuit configuration; actual max depends on site supply.<br>Basic Power Management: Power Switch<br>laptops, tablets |
| Storage Capacity         | Maximum # of Devices<br>Maximum Device Size (LxWxH)<br>Device Bay Dimensions (LxWxH)<br>Number of Shelves<br>Shelf Type                                                                                  | 30<br>12.5*0.7*7in [32*2*18cm]<br>14.1 x 1.6 x 11.4in [360 x 42 x 290 mm]<br>3<br>Fixed                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Physical Characteristics | Color<br>Frame and Power Strip Material<br>Dividers and Clips Material<br>Casters Material                                                                                                               | White and Black<br>Aluminum<br>Metal<br>Synthetic rubber                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Product Measurements     | Product Height<br>Product Width<br>Product Depth<br>Weight of Product                                                                                                                                    | 34 in [865 mm]<br>19.6 in [500 mm]<br>23.6 in [600 mm]<br>185.1 lbs [84 kg]                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Packaging Information    | Flat Pack (Assembly Required)<br>Package Height<br>Package Width<br>Package Depth<br>Shipping (Package) Weight<br>Shipping Volume                                                                        | Yes<br>37.7 in [960 mm]<br>21.3 in [540 mm]<br>25.2 in [640 mm]<br>207.2 lbs [94 kg]<br>0.33CBM                                                                                                                                                                                                                                                                                                                                                                                                                                |
| What's in the Box        | Included in Package                                                                                                                                                                                      | 1x 30-port PDU Charging Cabinet<br>Additional hardware accessories i.e screws, washers etc.<br>4x Keys                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Notes                    |                                                                                                                                                                                                          | Additional screws, washers, bolts found inside pre-assembled cabinet<br>Actual total power output depends on connected input supply and internal PDU limits.<br>Typical Per-Port Output (Practical Average): ~55–147 W per port, depending on input supply and number of devices connected.                                                                                                                                                                                                                                    |

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

