

4XEM's 8K/4K 2M USB-C to HDMI Cable

4XEM Part- 4XTPC023B2M



4XEM's USB-C to HDMI cables offer the great ability to connect your USB-C devices to your HDMI displays. Such USB-C devices can include new models of the MacBook, ChromeBook, various mobile phones and even new gaming consoles. Your USB-C port must support DP-Alt mode for a proper connection. Supporting stunning 8K and 4K video resolution the cable allows you to stream the highest quality displays possible from your laptop or other video source. With fast uncompressed bandwidth the cable is able to keep refresh rates high, maintaining a constant smooth video stream. Plug and play set-up means your connection between USB-C and HDMI devices can be ready in seconds. Get 8K quality video quickly and reliably from 4XEM's USB-C to HDMI cables.

**Problem it solves:** Gain 8K and 4K video resolution while easily connecting your USB-C and HDMI devices.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Brandon Hegarty 4XEM Sales Manager  
1-866-999-4936 Ext.113    bhegarty@4xem.com**



## Features

- USB-C male connector
- HDMI male connector
- Supports 8K
- Supports 4K
- Braided cable jacket
- DP-Alt mode support required
- Unidirectional display connection
- Max uncompressed bandwidth of 32.4 Gbps
- 2 meters/6.5 feet in length

## Application

- Laptop to TV/Monitor Connections – Stream 8K or 4K content from USB-C laptops (like MacBook Pro, Dell XPS) to HDMI-enabled displays.
- Education & Classroom Setups – Connect USB-C Chromebooks or tablets to HDMI projectors and smartboards.
- Office & Conference Rooms – Link USB-C business devices to HDMI monitors or large displays for clean, plug-and-play presentations.
- On-the-Go AV Professionals – Compact 1M cable is perfect for mobile setups needing reliable video output with no adapters required.



**4XEM Products Are Available At Your Favorite Online Retailers**





## DATA SHEET

|                          |                                                                                                 |                                                                                                                                                                                                                                                   |
|--------------------------|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Warranty Information     | Warranty                                                                                        | 1 Year                                                                                                                                                                                                                                            |
| Hardware                 | Operating Mode<br>Chip ID<br>Direction<br>Industry Standards                                    | Active<br>Synaptics VMM6100<br>Unidirectional<br>DisplayPort 1.4a Alt-Mode<br>HDMI 2.1<br>HDCP 1.4<br>HDCP 2.3<br>DSC 1.2a                                                                                                                        |
| Connector(s)             | Connector A (Source)<br>Connector B (Display)                                                   | USB Type-C - Male<br>HDMI - Male                                                                                                                                                                                                                  |
| Performance              | Max Uncompressed Bandwidth                                                                      | HBR3 - 32.40Gbps/25.92Gbps (DP1.4)                                                                                                                                                                                                                |
| Physical Characteristics | Colour<br>Connector Style<br>Cable Jacket Type<br>Cable OD<br>Cable Length<br>Weight of Product | Black/Grey<br>Straight<br>Braided<br>0.20 in [5.0 mm]<br>6.56 ft [2.0 m]<br>2.82 oz [80 g]                                                                                                                                                        |
| Packaging Information    | Package Type<br>Package Height<br>Package Width<br>Package Length<br>Shipping (Package) Weight  | Poly-bag<br>8.19 in [208 mm]<br>5.83 in [148 mm]<br>0.87 in [22 mm]<br>3.10 oz [88 g]                                                                                                                                                             |
| What's in the Box        | Included in Package                                                                             | 1x 2m USB-C to HDMI 2.1 Cable                                                                                                                                                                                                                     |
|                          | System Requirements                                                                             | An available USB Type-C port that supports DP Alt-Mode is required.                                                                                                                                                                               |
|                          | Notes                                                                                           | "This cable is Unidirectional. It will only function when connecting a USB-C video source to an HDMI display. Bandwidth is limited to the lesser maximum of the 2 industry standards. Backwards compatible with HDMI 2.0 and previous revisions." |

\* Product appearance and specifications are subject to change without notice.

\* Same day shipping is only available for orders shipping within the United States.

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Brandon Hegarty 4XEM Sales Manager**  
**1-866-999-4936 Ext.113    bhegarty@4xem.com**

