DATA SHEET

4XEM USB-C to DisplayPort Cable- 10FT

4XEM Part- 4XUSBCDISPCBL10

Easily connect your USB Type-C device to an HDTV, monitor or projector with 4XEM's 10ft USB Type-C to DisplayPort Male Adapter (4XUSBCDISPCBL10). USB Type-C signals are converted to support a maximum digital resolution of 2160p 4K UHD (3840x2160) @ 60Hz refresh rate as well as up to 7.1 channels of surround sound audio. A quality and durable design ensures long life enjoyment. Special Note: Your USB-C Port must support DP Alt Mode or Thunderbolt 3 in order to work with this adapter.
**Special Note: Your USB-C port must support DP Alt Mode or Thunderbolt 3 in order to work with this adapter.**

**4XEM Products Are Available At Your Favorite Online Retailers**

**WWW.4XEM.COM**

**Contact Brandon Hegarty 4XEM Sales Manager**
**1-866-999-4936 Ext.113 bhegarty@4xem.com**

DATA SHEET

## Features

- USB-C 3.1 Type-C male compatible with Thunderbolt 3 ports
- Plug and play without the need for drivers or software
- Use with all Mac or PC with USB-c
- Transmits video and audio signal over DP
- Resolution support over DP up to UHD 4K @60Hz
- Supports DisplayPort 1.2 and former standards
- 10 ft length

### Application

- **High-Resolution Professional Clarity:** Supports 4K UHD resolution (3840x2160) at 60Hz, ensuring sharp and vibrant visuals for an enhanced viewing experience, perfect for high-definition gaming, video editing, and presentations.
- **High Bandwidth Performance:** Provides a robust bandwidth of up to 21.60Gbps, enabling smooth and reliable data transmission with minimal latency and signal degradation.
- **Flexible Setup:** The 10-foot length provides enough flexibility to accommodate various classroom layouts and setups, making it easier to connect devices to projectors or monitors without the need for additional adapters or extensions.

**4XEM Products Are Available At Your Favorite Online Retailers**

WWW.4XEM.COM

Contact Brandon Hegarty 4XEM Sales Manager
1-866-999-4936 Ext.113 bhegarty@4xem.com

DATA SHEET

| | | |
|---|---|---|
| **Warranty Information** | | |
| | Warranty | 2 years |
| **Hardware** | | |
| | Active or Passive cable | Active |
| | Chip ID | Unavailable |
| | Direction | Unidirectional |
| | Video Source | USB-C |
| | Display | DisplayPort |
| | Cable Jacket Type | PVC - Polyvinyl Chloride |
| | Cable Shield Type | Aluminum-Mylar Foil with Braid |
| | Connector Plating | Gold |
| | Bandwidth | HBR2 - 21.60Gbps/17.28Gbps (DP1.2) |
| **Connector(s)** | | |
| | Connector A | 1 - USB Type-C (24 pin) DP Alt Mode Male |
| | Connector B | 1 - DisplayPort (20 pin) Male |
| **Physical Characteristics** | | |
| | Cable Length | 10 ft [3.05 m] |
| | Cable OD | 0.185 in [4.7 mm] |
| | Color | Black |
| | Weight of Product | 3.2 oz [90 g] |
| | Wire Gauge | 28 AWG |
| **Packaging Information** | | |
| | Package Height | 9.65 in [245 mm] |
| | Package Length | 1.03 in [26.2 mm] |
| | Package Width | 5.08 in [129 mm] |
| | Shipping (Package) Weight | 3.5 oz [102 g] |
| **What's in the Box** | | |
| | Included in Package | 1 - 10 ft USB-C to DisplayPort Cable - M/M |
| **Notes** | System Requirements | Your USB-C port must support DP Alt Mode or Thunderbolt 3 in order to work with this adaptor. |

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

**4XEM Products Are Available At Your Favorite Online Retailers**

WWW.4XEM.COM

Contact Brandon Hegarty 4XEM Sales Manager
1-866-999-4936 Ext.113 bhegarty@4xem.com