DATA SHEET

4XEM USB-C to DisplayPort Cable- 3FT

4XEM Part- 4XUSBCDISPCBL3

Easily connect your USB Type-C device to an HDTV, monitor or projector with 4XEM's 3ft USB Type-C to DisplayPort Male Adapter (4XUSBCDISPCBL3). USB Type-C signals are converted to support a maximum digital resolution of 2160p 4K UHD (3840x2160) @ 60Hz refresh rate as well as up to 7.1 channels of surround sound audio. A quality and durable design ensures long life enjoyment.

Special Note: Your USB-C port must support DP Alt Mode or Thunderbolt 3 in order to work with this adapter.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Brandon Hegarty 4XEM Sales Manager
1-866-999-4936 Ext.113 bhegarty@4xem.com

DATA SHEET

Features

- USB-C 3.1 Type-C male compatible with Thunderbolt 3 ports
- Plug and play without the need for drivers or software
- Use with all Mac or PC with USB-c
- Transmits video and audio signal over DP
- Resolution support over DP up to UHD 4K @60Hz
- Supports DisplayPort 1.2 and former standards
- 3 ft length

Application

- **High-Resolution Professional Clarity:** Supports 4K UHD resolution (3840x2160) at 60Hz, ensuring sharp and vibrant visuals for an enhanced viewing experience, perfect for high-definition gaming, video editing, and presentations.
- **High Bandwidth Performance:** Provides a robust bandwidth of up to 21.60Gbps, enabling smooth and reliable data transmission with minimal latency and signal degradation.
- **Flexible Setup:** The 3-foot length provides enough flexibility to accommodate various classroom layouts and setups, making it easier to connect devices to projectors or monitors without the need for additional adapters or extensions.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Brandon Hegarty 4XEM Sales Manager
1-866-999-4936 Ext.113 bhegarty@4xem.com

DATA SHEET

Warranty Information		
	Warranty	2 years
Hardware		
	Active or Passive cable	Active
	Chip ID	Unavailable
	Direction	Unidirectional
	Video Source	USB-C
	Display	DisplayPort
	Cable Jacket Type	PVC - Polyvinyl Chloride
	Cable Shield Type	Aluminum-Mylar Foil with Braid
	Connector Plating	Gold
	Bandwidth	HBR2 - 21.60Gbps/17.28Gbps (DP1.2)
Connector(s)		
	Connector A	1 - USB Type-C (24 pin) DP Alt Mode Male
	Connector B	1 - DisplayPort (20 pin) Male
Physical Characteristics		
	Cable Length	3 ft [0.9 m]
	Cable OD	0.185 in [4.7 mm]
	Color	Black
	Weight of Product	1.3 oz [38 g]
	Wire Gauge	28 AWG
Packaging Information		
	Package Height	9.65 in [245 mm]
	Package Length	0.51 in [13 mm]
	Package Width	5.08 in [129 mm]
	Shipping (Package) Weight	1.7 oz [48 g]
What's in the Box		
	Included in Package	1 - 3 ft USB-C to DisplayPort Cable - M/M
Notes	System Requirements	Your USB-C port must support DP Alt Mode or Thunderbolt 3 in order to work with this adaptor.

* Product appearance and specifications are subject to change without notice.

* Same day shipping is only available for orders shipping within the United States.

4XEM Products Are Available At Your Favorite Online Retailers

WWW.4XEM.COM

Contact Brandon Hegarty 4XEM Sales Manager
1-866-999-4936 Ext.113 bhegarty@4xem.com